

ARGENTINE BAHIAGRASS PENKOTED GRASS SEED



PLANTING SPECIFICATIONS

PLANTING RATE:

- Mow'd awars 10 ths /1 000 so 11 Oversending: 5 lbs:/1.000 sp. ft. This package opens:
- 500 sq. ft. new beans.
- 1,000 sq. ft, overseeding or reseeding existing lawn Planting Death: 14"
- Germination Time: 7-21 Days
- Treffic Thierwood: Good Sun Tolerance: Excellent
- Shade Triermour Low Drought Tolerance: Good

Recommended Mowing Nelgiti: 2"-3"

Republic E7 Date Sorgador

BEST TIME TO PLANT SEED . The best time to plant gross send is in early Spring or Summer.

- Grass seed germinates and establishes best when give age daily. temperatures are between 100° Fixed 20° F

SETTINGS FOR COMMONLY USED SPREADERS

Committee	0	No.
Scotts Specificrem Broadcast Sercador	276	93%
Scotts EasyGroce	30	30"
Scotts Acculiarem Brop Spreader	126	17
Lichard or otherway observe	270	9979

ASSESSMENT - If you, the companion are not said slied with this conduct after use in accordance with cockeging restructions, you may be digible for a referred Steed pricinal proviet, empry conjugation and a tariet explanation within play stars of purchase, does worthouse, we will bend you a roland sheet for the guickese price.

ATTN: Geraner Service Beat Countries Marchine

NET WT. 5 lbs. (2.27 kg)

300024460

PLANTING INSTRUCTIONS 4 Easy Steps to Planting Seed Bare Spots and New Lawns · Remove all debris from planting

- 1. PREPARE THE SOIL
- . Till or rake to loosen top 2" to 3"
 - . Rake smooth to create a flet, level
 - planting area. Overspecting and Thin Areas
 - . Move the lawn as short as opasible & remove dilippinas.
 - . Rate theroughly removing thatch (deed grass) and debris to expose
 - Acrate lawn if possible to a low belier air and water penetration
 - 2. FERTILIZE PLANTING AREA Accely a starter fortil bar at the
 - manufactured's recommended rate. . Lime may need to be added in
 - some areas to ensure proper soil 3. PLANT THE SEED
- Lising a drop-type, retary or hand. held spreader, apply the seed.
- evenly to avoid a size, overlapping . Certly raise, working send into soil
- about W. 4. WATER SEEDED AREA
 - Water daily to lesep sell molar. . Do not allow the top '4' of the soil
 - to become do unit liseedinos have completely emerged. Drace crease becomes established.
 - reclace wetering to 10" twice a week.

ESPECIFICACIONES DE SIEMBRA DOSIS DE SIEMBRA:

Césped Nuevo: 18 lbs./1,950 pies cuadrados Re-Siembra & Sobre-Siembra: 5 lbs/1,000 pies cuadrades E7 paguete cubre:

600 pies quadrados para oésped nuevo

- 1.000 ples quadrados para re-siembra ó apbre-sembrar Profundidad de Siembra: 14° Tiempo de Germinsclár: 7-21 diss.
- Folerancia al Tratico: Euros Enterangle of Set Executate Tolerancia al la Sombra: tivo
- Toleranela al la Sogula: Buena Se Recominade Corter a la Albara de: 2"-3"
- Dankertockii, Donal Transtrucert This want has been transled sales made evencommonly known as Apron XI, LS, Do not use for fixed, fixed or oil purposes. NATION: The order cross as austical to mises used in a recipional trackersels that
- is maidward in the U.S. Peters and Trackwork Office by Permission Sand, Inc. 81 CAUTIGN: This seed has been treated with Cytokinin (as kindin), gliberoitic asid and indine-S-buly-lic asid commonly imper as Stimulate ** Vieti Emeroer, Denetuse for food, foodor of purposes.
 - Stimulating it is trademark of Bottonb USA NOTES destroites benefitation institute may incluy several states. Under the cost laser of several
 - rotas legais galabariam erratisconne publicada por si ministración, valadismo principios. Mento
 - within such with miss to arrest importion of the cross plants, or inscribe the disclosion of eaffectionestant notice as stones



MAKE OF THE PROPERTY.





mip://pettag.mobil